



CHIMNEY SETS

HUUM chimney kits are designed as a simple, modular system: one **Main Set** that covers most standard sauna installations, plus **two Extension Sets** for special layout needs. All sets are certified, high-quality solutions with a T600 temperature class and are available in stainless steel or a black-painted finish.

Main Set – the universal base kit for taking the chimney straight up from the top of the heater and out through the ceiling/roof, suitable for most sauna buildings (including slightly inclined or curved/barrel ceilings), thanks to universal cover sheets and a rubber roof flashing.

Extension 01 (Wall Exit) – add when the chimney needs to be routed through a wall to an external wall, using a 90° solution and wall fixing elements.

Extension 02 (Attic / Double-Roof) – add when the chimney must pass through a suspended ceiling and attic/double-roof structure, especially where thicker insulation is used between the sauna and the attic.

Need extra height or special details?

Additional chimney sections and accessories are available separately.

CHIMNEY MAIN SET



Everything you need for a clean, straight-up installation.


The HUUM Chimney Main Set is a practical “starter kit” designed to connect from the top of the heater and run vertically through the ceiling and roof. It works well in most sauna buildings, including slightly inclined and curved/barrel ceilings, thanks to universal cover plates and a rubber roof flashing.

What’s in the box (key parts): double-wall chimney elements, welded base and chimney cap, universal roof flashing, universal cover plates, plus a cut-to-length single-wall adapter and T600 insulation plates for wall/ceiling transitions.

Need more height or a different layout?

Add chimney extensions or accessories as required (sold separately).





CHIMNEY SET - EXTENSION 01

For installations where the chimney must exit through a wall.

Extension 01 is used **together with the Main Set** when you want to route the chimney to an external wall. It provides a compact **90° solution** and the necessary wall fixing elements.

What's included: a 90° double-wall elbow, a short double-wall chimney section, universal cover plates, and adjustable wall brackets to securely fix the chimney run.

Tip: If you also need extra height outside, simply add straight chimney sections (sold separately).


CHIMNEY SET - EXTENSION 02

For double-roof structures and insulated attic passages.


Extension 02 is used **together with the Main Set** when the chimney must pass through a suspended ceiling and an attic/double-roof structure—especially where thicker insulation is used between the sauna and attic.

What's included: a roof-rafter attachment for stable support, a dedicated **T600 insulation detail for the ceiling**, and an additional double-wall chimney section.

Need more height above the roofline? Add straight chimney sections and connecting accessories as needed (sold separately).



Chimney Main Set




Minimum distance according to the installation manual of the heater

ENG	Name	Quantity	Code
H3	Double wall chimney: 120/225mm - 1,0 m	2	HK004-03
D	Double wall welded chimney base: 120/225mm	1	HK008-01
J	Chimney cap: 120/225mm	1	HK010
F1	Wall/Roof cover plate: PART A	1	HK019P03
F2	Wall/Roof cover plate: PART B	1	HK019P04
L	Universal rubber roof flashing: 490 x 490mm	1	HK026
P	Stainless steel slotted screw worm drive	1	HK027
L1	Roofing screws with rubber sealing washer	20	HS0135
K	Single wall chimney adapter: 115/120mm. Cuttable 150 - 250mm	1	HK023
O	T600 insulation plate for wall and ceiling: 30mm x 225/425mm	2	HK025

CZ	Název	Množství	Kód
H3	Dvoustěnný komín: 120/225mm – 1,0 m	2	HK004-03
D	Dvoustěnná svařovaná komínová základna: 120/225mm	1	HK008-01
J	Komínová čepička: 120/225mm	1	HK010
F1	Krycí deska stěna/střecha: ČÁST A	1	HK019P03
F2	Krycí deska stěna/střecha: ČÁST B	1	HK019P04
L	Univerzální gumové střešní oplechování: 490 x 490mm	1	HK026
P	Nerezový šroub s drážkovaným červovým pohonem	1	HK027
L1	Střešní šrouby s gumovou těsnící podložkou	20	HS0135
K	Adaptér jednopláštěvého komína: 115/120mm. Zkrátitelný 150–250mm	1	HK023
O	Izolační deska T600 pro stěnu a strop: 30mm x 225/425mm	2	HK025




Chimney Extension 1




ENG	Name	Quantity	Code
G	90-degree double wall elbow: 120/225mm	1	HK003-02
H1	Double wall chimney: 120/225mm - 0,25 m	1	HK004-01
I	Adjustable wall bracket for 225mm chimney: 50 - 150 mm	2	HK011
F1	Wall/Roof cover plate: PART A	1	HK019P03
F2	Wall/Roof cover plate: PART B	1	HK019P04

CZ	Název	Množství	Kód
G	Dvoustěnné koleno 90 stupňů	1	HK003-02
H1	Nastavitelný nástěnný držák pro komínové potrubí Ø 225mm: 50–150mm	1	HK004-01
I	Nastavitelná upevňovací objímka 50–150mm na stěnu	2	HK011
F1	Krycí deska stěna/střecha: Část A	1	HK019P03
F2	Krycí deska stěna/střecha: Část B	1	HK019P04



Chimney Extension 2



ENG	Name	Quantity	Code
C	Roof rafter attachment to the chimney	1	HK001
N	T600 insulation detail for ceiling: 500mm x 225/425mm	1	HK015
H3	Double wall chimney: 120/225mm - 1,0 m	1	HK004-03

CZ	Název	Množství	Kód
C	Upevnění střešních krokví k komínu	1	HK001
N	Izolační deska T600 pro strop: 500mm x 225/425mm	1	HK015
H3	Dvoustěnné komínové potrubí 120/225mm - 1,0 m	1	HK004-03

H3



C



N




OVERVIEW AND SUMMARY OF THE NEW CHIMNEY SETS

The need for new chimney sets resulted from simplifying the selection, reducing the number of parts in stock and being more competitive in terms of price.

We have many parts in stock that are sold in very small quantities per year, but which take up a lot of space in the warehouse.

The dimensions of the packages have also been changed to make transport cheaper, at least within the EU


If in our previous selection there was a set for each type of sauna (barrel, horizontal roof, sloping roof), now it is a universal solution (Main set), where one set is suitable for everyone and there are 2 possible extension packages (Extension 1 and Extension 2) for special solutions. It is also possible to choose between 2 different finishes - stainless or painted black.



MAIN SET

This is a so-called starter package, which is designed to take the chimney directly out of the ceiling from top of the heater. It is suitable for all sauna houses with a horizontal, slightly inclined or curved (barrel) ceiling. This is made possible by both universal chimney cover sheets and the new rubber membrane used on the roof.


The details that are included in the set are marked with dark gray color.



EXTENSION 1

This solution requires the presence of **Main Set** and if you want to install the chimney through the wall. It is suitable for all sauna houses, regardless of the type of roof.

Details included in the Extension 1 package are marked in dark gray. In light gray tone are the details that are included in the Main Set.



EXTENSION 2

This solution requires the presence of a **Main Set** and if you want to install the chimney through the suspended ceiling and through the roof. The roof can be sloped or horizontal. It is suitable for all sauna houses that have a double roof and an attic, and the ceiling between the attic has thicker insulation.

Details included in the Extension 2 package are marked in dark gray. In light gray tone are the details that are included in the Main Set.

COMPONENTS SOLD SEPARATELY

1. If you want to extend the chimney

Double-wall straight pipe 0,5m (HK004-02 or HK004-02M)

Double-wall straight pipe 1,0m (HK004-03 or HK004-03M)

Chimney element connecting bracket (HK009 or HK009M)

Adjustable wall bracket, 50-150mm (HK011 or HK011M)

1. If you want to use HUUM Stone Cage

Single wall pipe D=120mm, 0,25m (HK017-01 or HK017-01M)

Single wall pipe D=120mm, 0,5m (HK017-02 or HK017-02M)

MAIN SET, EXTENSION 1, EXTENSION 2 IN THE PACKAGE

